




VIBRATORY BRAN FINISHER **PTTV**

VIBRATORY SIFTER MACHINE **PTTP**



Vibratory sifter



Bran finischer PTTV




INCREASE OF FLOUR EXTRACTION

VIBRATORY BRAN FINISHER PTTV, VIBRATORY SIFTER MACHINE PTTP is a universal machine that is used to increase the yield of flour of break passages in the milling of cereals (as a bran finisher) and sifting flour mills (as a sifter). Loosens and simultaneously sort loose material with a moisture content up to 15% into two fractions (fall, overflow).

VIBRATORY BRAN FINISHER **PTTV**

VIBRATORY SIFTER MACHINE **PTTP**



VIBRATORY BRAN FINISHER **PTTV**

VIBRATORY SIFTER MACHINE **PTTP**

Parameter			PTT 306	PTT 410	PTT 512	PTT 615
Bran finisher capacity	t.h ⁻¹	Sieve Ø 0,7 mm	0,75	1,5	2,25	3,0
		Sieve Ø 1,2 mm	1,0	2,0	3,0	4,0
Vibratory sifter capacity	t.h ⁻¹	Sieve Ø 1,5 mm	5 - 6	10 - 12	15 - 18	20 24
		Sieve Ø 3,0 mm	15	30	45	60
Input		kW	3,0 - 4,0	5,5 - 7,5	7,5 - 11	11 - 18,5
Weight		kg	243	425	560	750

	A	B	C	H	D4	D1	D2	D3
PTT 306	1197	440	1100	1215	100	152	152	120
PTT 410	1640	570	1300	1520	100	200	200	120
PTT 512	1920	700	1500	1720	120	200	200	120
PTT 615	2235	830	1600	1820	140	250	250	120
Bran finisher PTTV	Same as Vibratory sifter PTTP					120	120	120

PTTV - Bran finisher xxx(V)

PTTP - Vibratory sifter xxx(P)



Dělnická 384
530 00 Pardubice
CZECH REPUBLIC

Táňa Mičková

tel.: + 420 775 200 898

Roman Janovský

tel.: + 420 728 332 250

e-mail: torofa@email.cz

web: www.torofa.cz